



# TEST CERTIFICATE

Medcalfe Way Bridge Street Chatteris Cambridgeshire PE16 6QZ England  
Telephone: 01354 695858

Page 1 of 1

**Certificate Number:** TCHC1885076-1 Final

**Date Reported:** 20/02/2025

**Date Analysis Started:** 22/01/2025

**Order Number:**

Lab Ref.	Sample Details	Method Number	Test	Result	Units	Flag
CHC2357264	Product: Finished Products Desc: P300101US Pureblend Date Received: 21/01/2025 Date Tested: 22/01/2025	SUB-CON	Cadmium	0.0117	mg / kg	-
		SUB-CON	Lead	0.012	mg / kg	-
		SUB-CON	Arsenic	<0.1	mg / kg	S
		SUB-CON	Mercury (AAS)	<0.003	mg / kg	-

Certificate approved and electronically signed on 20/02/25 13:53

By Sara O'Reilly, Section Head

For and on Behalf of ALS Laboratories (UK) Limited

## Disclaimers:

The testing results in this certificate relate only to the samples described above.

Unless otherwise stated, all results are expressed on an as received basis.

Statement of conformity made against the result does not take into account the uncertainty of measurement associated to the method.

Chemistry Samples will be retained for a period of 14 calendar days from the date reported unless otherwise agreed in writing with the Laboratory.

'S' indicates a test which is sub-contracted to an approved laboratory holding ISO 17025 accreditation.

Only flagged items will be indicated as such.